05 Kraftform Kompakt and VDE

Kraftform Kompakt Zyklop 165

Kraftform Kompakt 10 and 11 166

Kraftform Kompakt 20, 25, 26, 28 167

Kraftform Kompakt 40, 42, 43 169

Kraftform Kompakt 50 170

Kraftform Kompakt 60, 61, 62 171

Kraftform Kompakt 70 and 71 173

Kraftform Kompakt 90 and 91 174

Bitholders and Adaptors 175

Kraftform Kompakt VDE 178

Kraftform Kompakt Vario with ratchet function 180

Kraftform Kompakt Vario without ratchet function 184

Ever had the wrong screwdriver or bit on hand?

Wera's Kompakt tools are suitable for both types of screwdriving process – by hand or power tool. Often the type of operation only becomes apparent on the site. The compact design of the handle/interchangeable blade system, with various tips makes users mobile and flexible with a minimum amount of space being taken up.

The sets come with a Kraftform handle, quick-release chuck and bits for **manual and power tool operations.**

The handle/interchangeable blade system permits **rapid exchange** of the blades needed for a wide range of applications.

The tools can be stored and carried either in a solid plastic case or a robust belt pouch. In this way the right tool is **always on hand.**

Kraftform Kompakt Zyklop
Screwdriving, with ratchet function, in a compact format

The sets in the series Kraftform Kompakt 20 are really something. A 2 position **telescopic blade** can be retracted into the handle for confined space operation or extended for more reach. It can also be removed and used as a 100mm bit holder in the power tool. Six bits are conveniently **integrated into a push-button opening bit magazine**. The **Rapidaptor** technology ensures rapid one hand bit changes, press-in auto bit lock and a secure positioning when used in power tools thanks to the free-turning sleeve.

Kraftform Kompakt Zyklop
The **ratchet head pivots freely** and can be **locked into any position** by using the slide switch that is positioned on either side. It is even possible to work in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking at 0°, 15° and 90°, both to the right and left, ensure **safe working without any slipping of the ratchet head.**

The ratchet can be used as a conventional **screwdriver** in the 0° position by attaching a unique bit-holding adaptor and a bit.

The Zyklop ratchets are **really fast movers.** The rotating mass design means that screwdriving is accelerated. The rotation-symmetric structure of the Kraftform handle and the free-turning sleeve reinforce this rapid twisting process, particularly when the ratchet does not engage due to too little resistance in the thread.

The reversible ratchet with 72 fine-pitched teeth has a **low return angle of only 5°**. This short stroke allows fast and precise work in all types of installation.

All Zyklop ratchets feature a thumbwheel that can be used to **quickly and easily switch between clockwise and anticlockwise rotation,** at any position. No complicated handling, no loss of time!

Kraftform Kompakt
Tools with a gearless drive feature

The Kraftform ratchet screwdriver with a pistol-grip handle is the right tool for single-handed or reversible operations and can be combined with all conventional bits in accordance with C 6.3 and E 6.3.

Tools with a gearless drive feature permit **rapid screwdriving** without any hand repositioning. The pistol-grip handle allows real power to be applied direct to the screw. It fits securely and comfortably in the hand and has the best possible position to the screw.

The exact positioning, the simple application and the high power transfer mean that work is done in an ergonomically correct way.

The minimal return angle enhances working speeds and permits applications in very confined assembly situations.

The axial alignment with the screw prevents any slipping.

Bitholders
An extensive range.

Kraftform Kompakt Zyklop
Ratchet and screwdriver in a compact design

Kraftform Kompakt Zyklop

NEW

26-piece set in a belt pouch
1 Zyklop ratchet with 1/4" drive, 7 Zyklop sockets (metric), 1 Zyklop extension (long) with free-turning sleeve, 1 adaptor, 16 bits of 50 mm in length

Code				
05**051045**002		**8000 A**	1 x 1/4"x152.0	1
		800/4 Z	1 x 1.0x5.5x50	
		840/4 Z Hex-Plus	1 x 3.0x50; 1 x 4.0x50; 1 x 5.0x50; 1 x 6.0x50	
		851/4 TZ PH	1 x PH 1x50; 1 x PH 2x50; 1 x PH 3x50	
		855/4 TZ PZ	1 x PZ 1x50; 1 x PZ 2x50	
		867/4 Z TORX®	1 x TX 10x50; 1 x TX 15x50; 1 x TX 20x50; 1 x TX 25x50; 1 x TX 27x50; 1 x TX 30x50	
		8784 A1	1 x 1/4"x1/4"x37.0	
		8790 HMA	1 x 5.5x23.0; 1 x 6.0x23.0; 1 x 7.0x23.0; 1 x 8.0x23.0; 1 x 10.0x23.0; 1 x 12.0x23.0; 1 x 13.0x23.0	
		8794 LA	1 x 1/4"x150.0	

How to work quickly when there is too little resistance in the thread

Everyone knows the problem of when there is insufficient resistance on the thread to engage the ratchet on the return stroke, and it becomes irritating and time-consuming to fix. The Zyklop ratchets are really fast movers - their gyrating mass design means that screwdriving is accelerated. The free-turning sleeve and the rotation-symmetric structure of the Kraftform handle reinforce this rapid twisting process.

Kraftform Kompakt 10 and 11

There is no screwdriver set that is more compact

SHOP NOW

Kraftform Kompakt 10

10-piece set
1 bitholding screwdriver 813 R Kraftform with quick-release chuck Rapidaptor

Code			
05**056653**003	**813 R**	1 x 1/4"x90	1
	800/1 TZ	1 x 0.5x4.0x25; 1 x 1.0x5.5x25	
	851/1 TZ PH	1 x PH 1x25; 1 x PH 2x25	
	855/1 TZ PZ	1 x PZ 1x25; 1 x PZ 2x25	
	867/1 TZ TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25	

Kraftform Kompakt 11

10-piece set
1 bitholding screwdriver 813 R Kraftform with quick-release chuck Rapidaptor

Code			
05**056652**004	**813 R**	1 x 1/4"x90	1
	800/1 Z	1 x 0.5x3.0x25	
	851/1 TZ PH	1 x PH 1x25	
	851/1 Z PH	1 x PH 0x25	
	867/1 TZ TORX®	1 x TX 5x25; 1 x TX 6x25; 1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25	

Rapidaptor

Rapid-in and self-lock
The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out
Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool.
The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Chuck-all
The Rapidaptor quick-release chucks hold ¼" DIN 3126-C 6.3 and E 6.3 as well as Wera series 1 and 4 bits.

Single-hand function
Every function of the Rapidator quick-release chuck, such as inserting or releasing bits, can be carried out with one hand.
This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

Kraftform Kompakt 20, 25, 26, 28

Bayonet blade models

SHOP NOW

Kraftform Kompakt 20 with pouch

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4

Design: Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

Code			
05051021006	889/4 R	1 x 1/4"x100	1
	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25	

Kraftform Kompakt 25 with pouch

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4

Design: Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

Code			
05051024002	889/4 R	1 x 1/4"x100	1
	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	

"Bayonet" Blade

When the unique "bayonet" blade is lowered into the handle, fast, easy screw-driving action is possible, even in the tightest spots!
By pushing the clamping sleeve, the bayonet blade can be extended out of the handle and the compact tool becomes a full-sized screwdriver.
If the clamping sleeve is pushed again the bayonet blade can be taken out of the handle, and be used as a machine bit adaptor.

Kraftform Kompakt 20, 25, 26, 28

Bayonet blade models

SHOP NOW

Kraftform Kompakt 26 with pouch

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4

Design: Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

Code			
05051025002	889/4 R	1 x 1/4"x100	1
	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	868/1 Z	1 x # 1x25; 1 x # 2x25	

Kraftform Kompakt 20 with ratchet function. See page 182.

Kraftform Kompakt Imperial 28 SB

NEW

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1

Design: Attachment, bayonet, with stainless steel sleeve, retaining ring, and strong permanent magnet

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

Code			
05073667002	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	1
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	

Kraftform Kompakt 40, 42, 43

Bits of 89 mm in length

SHOP NOW

Kraftform Kompakt 40

Pouch with 89 mm bits
7-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05**059298**004	**816 R**	1 x 1/4"x119	1
	800/4 Z	1 x 1.0x5.5x89; 1 x 1.2x6.5x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89	
	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89	

Kraftform Kompakt 42

Pouch with 89 mm bits
7-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05**347111**002	**816 R**	1 x 1/4"x119	1
	800/4 Z	1 x 1.0x5.5x89; 1 x 1.2x6.5x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89	
	868/4 Square-Plus	1 x # 1x89; 1 x # 2x89	

Kraftform Kompakt 43

Pouch with 89 mm bits
11-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05**347110**002	**816 R**	1 x 1/4"x119	1
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	867/4 Z TORX® BO	1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89	
	868/4 Square-Plus	1 x # 1x89; 1 x # 2x89; 1 x # 3x89	

Extra Long

Pouches with bitholding screwdriver and 89 mm long bits.

Kraftform Kompakt 50
Bayonet blade models

SHOP NOW

Kraftform Kompakt 50, imperial

14-piece set
1 bitholding screwdriver with bayonet 817 R Kraftform with quick-release chuck Rapidaptor

Code			
05135951002	817 R	1 x 1/4"x133	1
	889/4 R	1 x 1/4"x100	
	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	867/1 Z TORX® BO	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	868/1 Z	1 x # 1x25; 1 x # 2x25	

"Bayonet" Blade

When the unique "bayonet" blade is lowered into the handle, fast, easy screw-driving action is possible, even in the tightest spots!
By pushing the clamping sleeve, the bayonet blade can be extended out of the handle and the compact tool becomes a full-sized screwdriver.
If the clamping sleeve is pushed again the bayonet blade can be taken out of the handle, and be used as a machine bit adaptor.

Kraftform Kompakt 60, 61, 62

Bits of 89 mm in length

SHOP NOW

Kraftform Kompakt 60

Hex Plus

Pouch with 89 mm bits
17-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05**059295**005	**816 R**	1 x 1/4"x119	1
	800/4 Z	1 x 1.0x5.5x89	
	840/4 Z Hex-Plus	1 x 3.0x89; 1 x 4.0x89; 1 x 5.0x89; 1 x 6.0x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89	
	867/4 Z TORX® BO	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89	

Kraftform Kompakt 60, imperial

Hex Plus

Pouch with 89 mm bits
17-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05**051042**002	**816 R**	1 x 1/4"x119	1
	800/4 Z	1 x 1.0x5.5x89	
	840/4 Z Hex-Plus	1 x 3/32"x89; 1 x 1/8"x89; 1 x 5/32"x89; 1 x 3/16"x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	867/4 Z TORX® BO	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89	
	868/4 Square-Plus	1 x # 1x89; 1 x # 2x89; 1 x # 3x89	

Kraftform Kompakt 61

Pouch with 89 mm bits
17-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05**059296**003	**816 R**	1 x 1/4"x119	1
	857/4 Z Spanner	1 x 4x89; 1 x 6x89; 1 x 8x89; 1 x 10x89	
	867/4 Z TORX® BO	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89	
	871/4 TORQ-SET® Mplus	1 x 6x89; 1 x 8x89; 1 x 10x89	
	875/4 TRI-WING®	1 x 1x89; 1 x 2x89; 1 x 3x89; 1 x 4x89	

Kraftform Kompakt 60, 61, 62

Bits of 89 mm in length

SHOP NOW

Kraftform Kompakt 62

Hex Plus

Pouch with 89 mm bits
33-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05059297005	816 R	1 x 1/4"x119	1
	800/4 Z	1 x 1.2x6.5x89	
	840/4 Z Hex-Plus BO	1 x 2.0x89; 1 x 2.5x89; 1 x 3.0x89; 1 x 4.0x89; 1 x 5.0x89; 1 x 6.0x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89	
	857/4 Z Spanner	1 x 4x89; 1 x 6x89; 1 x 8x89; 1 x 10x89	
	867/4 Z TORX® BO	1 x TX 8x89; 1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 27x89; 1 x TX 30x89; 1 x TX 40x89	
	871/4 TORQ-SET® Mplus	1 x 6x89; 1 x 8x89; 1 x 10x89	
	875/4 TRI-WING®	1 x 1x89; 1 x 2x89; 1 x 3x89; 1 x 4x89	

? How can wasting time by using the wrong screwdriver be avoided?

Frequently, users have to work with their tools at a fixed workplace location as well as at external sites. Just as frequently, it is only on site that a decision is taken as to whether to work manually or with a power tool. The Kraftform Kompakt tool set equips the user for both types of operation with just a single set. Additionally, the sets are kept in belt pouches or plastic cases. This keeps them secure and clean and means that they are clearly arranged for easy tool selection, something that is very practical when they are to be used or transported.

! Extra Long

Pouches with bitholding screwdriver and 89 mm long bits.

Kraftform Kompakt 70 and 71

Kraftform handle, Rapidaptor and 30 bits.

SHOP NOW

Kraftform Kompakt 70 allround

Hex Plus

32-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck,
1 universal bit holder 889/4/1 K Rapidaptor

Code			
05057110007	816 R	1 x 1/4"x119	1
	889/4/1 K	1 x 1/4"x50	
	800/1 TZ	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	840/1 Z Hex-Plus	1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25	
	851/1 TZ PH	3 x PH 1x25; 3 x PH 2x25; 3 x PH 3x25	
	855/1 TZ PZ	3 x PZ 1x25; 3 x PZ 2x25; 3 x PZ 3x25	
	867/1 Z TORX® BO	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	

Kraftform Kompakt 71 security

Hex Plus

32-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck,
1 universal bit holder 889/4/1 K Rapidaptor

Code			
05057111007	816 R	1 x 1/4"x119	1
	889/4/1 K	1 x 1/4"x50	
	840/1 Z Hex-Plus BO	1 x 2.0x25; 1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25	
	857/1 Z Spanner	1 x 4x25; 1 x 6x25; 1 x 8x25; 1 x 10x25	
	867/1 Z TORX® BO	1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	868/1 Z	1 x # 0x25; 1 x # 1x25; 1 x # 2x25; 1 x # 3x25	
	871/1 TORQ-SET® Mplus 25 mm	1 x 6x25; 1 x 8x25; 1 x 10x25; 1 x 1/4"x25	
	875/1 TRI-WING® 25 mm	1 x 1x25; 1 x 2x25; 1 x 3x25	

? Kraftform Kompakt 70 and 71

A big-diameter Kraftform handle, a power tool adaptor with quick-release chuck for machine use and 30 bits provide the user with all the tools he needs.

Kraftform Kompakt 90 and 91

Wera Kraftform ratchet

SHOP NOW

Kraftform Kompakt 90

Hex-Plus

22-piece set
1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor

Code			
05**056948**003	**889/4/1 K**	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	855/1 Z PZ	2 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25	
	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	

Kraftform Kompakt 91

Hex-Plus

18-piece set
1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor, 1 adaptor 870/1

Code			
05**056947**004	**889/4/1 K**	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	790 HA	1 x 5.5x22.0; 1 x 7.0x22.0; 1 x 8.0x22.0; 1 x 10.0x22.0; 1 x 13.0x22.0	
	840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	867/1 Z TORX® BO	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25	
	870/1	1 x 1/4"x25	

Kraftform Kompakt 90, imperial

Hex-Plus

22-piece set
1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor

Code			
05**135954**002	**889/4/1 K**	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	840/1 Z Hex-Plus	1 x 3/32"x25; 1 x 1/8"x25; 1 x 5/32"x25	
	851/1 Z PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	
	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	868/1 Z	1 x # 1x25; 1 x # 2x25; 1 x # 3x25	

Kraftform Kompakt 91, imperial

Hex-Plus

18-piece set
1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor, 1 adaptor 870/1

Code			
05**135953**002	**889/4/1 K**	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	790 HA	1 x 3/16"x25.0; 1 x 1/4"x25.0; 1 x 5/16"x25.0; 1 x 3/8"x25.0; 1 x 1/2"x25.0	
	840/1 Z Hex-Plus	1 x 3/32"x25; 1 x 1/8"x25; 1 x 5/32"x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	867/1 Z TORX® BO	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25	
	870/1	1 x 1/4"x25	

Bitholding Screwdrivers and Adaptors

Suitable for hand and power tool applications

SHOP NOW

98/4/1 Kraftform ratchet

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) socket insert bits and Wera Series 1 and 4
Design: Quick-release chuck for fast bit changes
Handle: Kraftform pistol grip, multi-component, gearless mechanism with needle bearings and integrated switch for forward and reverse operation

Code		mm	mm			
05**003263**004	1/4"	140	100	5 9/16"	4"	1

817 R Bitholding screwdriver with Rapidaptor quick-release chuck

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Drive: 1/4" hexagon suitable for power tools with DIN 3126-F 6.3, ISO 1173 chuck
Design: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic
Handle: Kraftform with non-roll feature, multi-component

Code		mm	
05**051482**003	1/4"	133	2

816 R Bitholding screwdriver with Rapidaptor quick-release chuck

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic
Handle: Kraftform with non-roll feature, multi-component

Code		mm	
05**051462**003	1/4"	119	5

813 R Bitholding screwdriver with Rapidaptor quick-release chuck

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic
Handle: Kraftform with non-roll feature, multi-component

Code		mm	
05**051272**002	1/4"	90	2

Bitholding Screwdrivers and Adaptors

Suitable for hand and power tool applications

SHOP NOW

489 R T-handle Rapidaptor

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4
Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic
Handle: T-handle, multi-component

Code		mm	mm	mm		
05**013390**002	1/4"	45	44	87	1 25/32"	2

392 Bitholding screwdriver with flexible shaft

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon bits and Wera Series 1
Design: Wera quick-release chuck
Handle: Kraftform with non-roll feature, multi-component

Code		mm	mm		
05**028160**002	1/4"	177	98	7"	5

810/1 Bitholding screwdriver with retaining ring

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: Retaining ring, chrome-plated
Handle: Kraftform with non-roll feature, multi-component

Code		mm	mm	mm		
05**051005**005	1/4"	120	112	10.5	4 3/4"	2

812/1 Bitholding screwdriver with strong permanent magnet

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: Strong permanent magnet, chrome-plated
Handle: Kraftform with non-roll feature, multi-component

Code		mm	mm	mm		
05**051205**004	1/4"	120	112	10.5	4 3/4"	2

811/1 Stubby

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Round
Design: Extra short with strong permanent magnet
Handle: Kraftform, Weralit II, single-component

Code		mm	mm		
05**051105**002	1/4"	10	54	3/8"	2

SHOP NOW

819/1 Combination screwdriver with strong permanent magnet, without bits

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: Strong permanent magnet
Handle: Kraftform, Weralit II, single-component, rotary magazine

Code		mm	mm	mm		
05051610002	1/4"	120	112	10.5	4 3/4"	1

819/1/6 Combination screwdriver with strong permanent magnet and bits

Application: Suitable for 1/4" DIN 3126-C 6,3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: Strong permanent magnet
Handle: Kraftform, Weralit II, single-component, rotary magazine

Code			
05051615004	819/1 Vario	1 x 1/4"x120	1
	800/1 Z	1 x 0.8x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25	

819/1/6 PH Combined Screwdriver with strong permanent magnet and bits

Application: Suitable for 1/4" DIN 3126-C 6,3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: With strong permanent magnet
Handle: Kraftform, Weralit II, one component, rotary magazine

Code			
05346280001	819/1 Vario	1 x 1/4"x120	1
	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	

820/1/6 Combination screwdriver with strong permanent magnet and bits

Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: Strong permanent magnet
Handle: Kraftform, Weralit II, single-component, rotary magazine

Code			
05051620002	819/1 Vario	1 x 1/4"x120	1
	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	

829/4/1 Bitholding screwdriver

Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: Hexagon blade, hexagon bolster, Wera quick-release chuck, magnetic
Handle: Kraftform with non-roll feature, multi-component

Code		mm	mm		
05051830003	1/4"	120	98	4 3/4"	2

Kraftform Kompakt and VDE

Magazine holders

The Vario magazine holders for storing bits are a compact version of the 6-piece screwdriver set.

Kraftform Kompakt VDE
Versatile tools for work on live wiring

Each Kraftform Kompakt VDE set has been tested individually in a water bath at 10,000 volts, in accordance with DIN EN 60900 (IEC 60900:2004). This ten-times-higher testing load guarantees safe working at their maximum permitted load of 1,000 volts.

The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

Kraftform Kompakt VDE sets come with an insulated handle and insulated interchangeable blades, that can be exchanged without any special tools.

The tools can be stored and carried in a robust belt pouch, keeping them always to hand.

The 18-piece set includes blades for PlusMinus screws, various keys for switch cabinets and a voltage tester.

Kraftform Kompakt VDE

Versatile tools for work on live wiring

SHOP NOW

Kraftform Kompakt VDE 60 i/7

1 Kraftform hand-held bit holder 817 VDE for Wera interchangeable blades
VDE interchangeable blades (each 154 mm long)
7-piece set

Code			
05**003470**003	**817 VDE**	1 x 9x102	1
	KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	KK 62 i	1 x PH 1x154; 1 x PH 2x154	

Kraftform Kompakt VDE 60 i/68 i/7

1 Kraftform hand-held bit holder 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (each 154 mm long)
7-piece set

Code			
05**003473**002	**817 VDE**	1 x 9x102	1
	KK 60 i	1 x 0.6x3.5x154; 1 x 1.0x5.5x154	
	KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	KK VDE 68 i	1 x # 1x154; 1 x # 2x154	

Kraftform Kompakt VDE 60 i/62 i/65 i/18

1 Kraftform hand-held bit holder 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (each 154 mm long)
Single-pole voltage tester
18-piece set

Code			
05**003471**008	**817 VDE**	1 x 9x102	1
	247 UL	1 x 0.5x3.0x70	
	KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	KK 62 i PH/S	1 x # 1x154; 1 x # 2x154	
	KK 65 i PZ	1 x PZ 1x154; 1 x PZ 2x154	
	KK 65 i PZ/S	1 x # 1x154; 1 x # 2x154	
	KK 96 VK 6,3	1 x 6.3x89	
	KK 97 VK 8,1	1 x 8.1x89	
	KK 98 DK	1 x 89	
	KK 99 FL	1 x 89	

Kraftform Kompakt

NEW: with ratchet function.

Simply optimal: the combination of Kraftform Kompakt and a ratchet screwdriver.
Ergonomic design of the reverse direction switch.
The easy-to-use yet robust ratchet mechanism with a return angle of 8° allows fast and precise work even in confined spaces.

Moreover, the hexagon design of the directional switch (made out of robust die-cast zinc) ensures that the ratchet screwdrivers do not unintentionally roll away at the workplace, and that they are ergonomic, yet simple to operate, even with dirty hands.
Robust ratchet mechanism with a torque of up to 50 Nm. Available in the versions Kraftform Kompakt 27 RA, Kraftform Kompakt 60 RA, Kraftform Kompakt Vario RA.

New: Kraftform Kompakt with **ratchet function**.

Fine action 44 tooth system. Great time savings when screwdriving. Ergonomic design of the reverse direction switch.

Additionally, the lockable neutral position permits exact adjustment work without having to change the screwdriving direction every time. Lockable neutral position for fine adjustment work.

Kraftform Kompakt Vario with ratchet function.
For high speed screwdriving

Simply optimal: the combination of Kraftform Kompakt and a ratchet screwdriver.

Fine tooth system for precision work.

Kraftform Kompakt 27 RA completes the Kraftform Kompakt 20 family. It includes bits in a bit magazine.

Non-roll feature.

Practical packaging. Ideally suited for mobile use.

Kraftform Kompakt with Ratchet Function

High working speeds

SHOP NOW

Kraftform Kompakt 27 RA 2 SB

NEW

Application: Suitable for hexagon socket insert bits as per DIN 3126-C 6.3 (ISO 1173) and Wera series 1

Design: Ratchet, fine tooth system for minimal return angle, switchover ring (clockwise, locked, anticlockwise), maximum torque of up to 50 Newton metres, hexagon blade with $^1/_4$" hexagon chuck, stainless steel sleeve, strong permanent magnet

Handle: Kraftform with non-roll feature, multi-component, integrated magazine for 6 bits (25 mm)

Code			
05**073661**002	**800/1 Z**	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	1
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	868/1 Z	1 x # 1x25; 1 x # 2x25	

Kraftform Kompakt 60 RA, imperial

Hex Plus

NEW

Pouch with 89 mm bits
17-piece set
1 hand-held bit holder 816 RA Kraftform with ratchet function, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, $^1/_4$" hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic and 16 bits of 89 mm in length suitable for holders as per DIN 3126-F 6.3, ISO 1173 or for direct insertion in a power tool

Code			
05**051041**001	**816 RA**	1 x 1/4"x142,0	1
	800/4 Z	1 x 1.0x5.5x89	
	840/4 Z Hex-Plus	1 x 3/32"x89; 1 x 1/8"x89; 1 x 5/32"x89; 1 x 3/16"x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	867/4 Z TORX® BO	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89	
	868/4 Square-Plus	1 x # 1x89; 1 x # 2x89; 1 x # 3x89	

SHOP NOW

Kraftform Kompakt Vario RA, imperial, SB

NEW

Pouch with 175-mm long Wera Vario double-ended blades, 6 mm hexagon shaft, 7-piece set
1 Kraftform Kompakt Vario RA bit-holding screwdriver with ratchet function, fine tooth mechanism ensuring a small return angle, switchover ring (right, fixed, left), maximum torque of up to 50 Newton meters; 6 mm hexagon chuck for Wera Vario double-ended blades, 6 Vario double-ended blades
(= 12 different dimensions)

Code			
05**073666**002	**68**	1 x #1x175	1
	80 RA	1 x 6x115,0	
	81	1 x 0.6x4.0x1.0x6.0x175	
	84 inch	1 x 1/16"x5/64"x175	
	85	1 x PH 1xPH 2x175	
	87	1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175	

816 RA Ratchet screwdriver

NEW

Application: Suitable for hexagon socket insert bits as per DIN 3126-C 6.3 and E 6.3 (ISO 1173) and Wera series 1 and 4

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, $^1/_4$" hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic

Handle: Kraftform with non-roll feature, multi-component

Code		mm	
05**051461**002	$^1/_4$"	142,0	1

80 RA Vario ratchet screwdriver

NEW

Application: Suitable for 6 mm Wera Vario blades

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, 6 mm hexagon chuck

Handle: Kraftform with non-roll feature, multi-component

Code	mm	mm	
05**002901**002	6	115,0	1

Kraftform Kompakt Vario

The Kraftform Kompakt Vario range
is outstanding due to its very popular 6 mm double-ended blade system.

The double-ended blades are out of high quality bit material which gives them a particularly long service life.

The Wera Black Point tip provides an exact fit with optimum corrosion protection.

¼" hexagon and square drives as per DIN 3126-C 6.3 and DIN 3120 can also be driven with the 6 mm handles by attaching an adaptor.

Kraftform Kompakt Vario

SHOP NOW

88/1 Vario set

11-piece set, specifically for demanding workshop environments

Code			
05002990006	80	1 x 6x98	1
	81	1 x 0.6x4.0x1.0x6.0x175; 1 x 0.8x5.0x1.2x7.0x175	
	84	1 x 4x4x175; 1 x 5x5x175; 1 x 6x6x175	
	85	1 x PH 1xPH 2x175	
	86	1 x PZ 1xPZ 2x175	
	87	1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175; 1 x TX 30xTX 40x175	

Why is the Kraftform Plus handle made out of several components?

Wera produces the Kraftform handle out of several materials with different properties. A resistant plastic is used for the core which ensures that the blade is held securely, even under high strain. A softer material is used for the coloured soft zones, which has a high frictional resistance and allows the transfer of high forces - thus requiring less screwdriving effort. The black sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

80 Vario handle

Application: 6 mm Vario blades and adaptors
Handle: Kraftform with non-roll feature, multi-component, 10 mm bolster

Code	mm	mm	mm	
05002900007	6	10	98	5

Kraftform Kompakt Vario

SHOP NOW

830 Vario bit holder adaptor

Application: Suitable for 1/4" DIN 3126- C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: 6 mm hexagon, chrome-plated
Drive: Wera 1/4" quick-release chuck with strong permanent magnet

Code	mm	mm	mm		
05051835003	1/4"	6	165	6 9/16"	2

81 Combination blade for slotted screws

Application: Slotted screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code	mm	mm	mm	mm	mm	mm		
05002910005	0.6	4.0	1.0	6.0	6	175	7"	5
05002913005	0.8	5.0	1.2	7.0	6	175	7"	5

82 Combination blade for slotted/Phillips srews

Application: Slotted screws and Phillips screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code		mm	mm	mm	mm		
05002920003	PH 1	0.6	4.0	6	175	7"	5
05002923003	PH 2	1.0	6.0	6	175	7"	5
05002926003	PH 3	1.2	7.0	6	175	7"	5

83 Combination blade for Phillips/Pozidriv

Application: Phillips screws and Pozidriv*) screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code			mm	mm		
05002930004	PH 1	PZ 1	6	175	7"	5
05002933004	PH 2	PZ 2	6	175	7"	5

*) Pozidriv = reg. trademark of Phillips Screw Company.

84 Combination blade for hexagon socket screws

Application: Hexagon socket screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code			mm	mm		
05002936003	2.5	2.5	6	175	7"	5
05002938005	3	3	6	175	7"	5
05002940005	4	4	6	175	7"	5
05002943005	5	5	6	175	7"	5
05002946005	6	6	6	175	7"	5

SHOP NOW

85 Combination blade for Phililps screws

Application: Phillips screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code			mm	mm		
05**002950**006	PH 1	PH 2	6	175	7"	5

86 Combination blade for Pozidriv screws

Application: Suitable for Pozidriv*) screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code			mm	mm		
05**002960**006	PZ 1	PZ 2	6	175	7"	5
05**140310**003	PZ 2	PZ 3	6	175	7"	5

*) Pozidriv = reg. trademark of Phillips Screw Company.

87 Combination blade for TORX® screws

Application: TORX® socket screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code			mm	mm		
05**002966**003	TX 6	TX 8	6	175	7"	5
05**002968**004	TX 7	TX 9	6	175	7"	5
05**002970**006	TX 10	TX 15	6	175	7"	5
05**002973**007	TX 20	TX 25	6	175	7"	5
05**002976**006	TX 30	TX 40	6	175	7"	5

68 Combination blade for square socket screws

Application: For square socket screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code			mm	mm		
05**002980**002	#1	#2	6	175	7"	5